



**Temporary, Reusable
Suction-Cup Mount
Gun & Utility Holder**

**Single- and Double-Hook
Mounting Instructions**



**Double-Hook Holder
Part No. 10020**



**Single Hook Holder
Part No. 10010**

Made in U.S.A.

Read and follow all instructions before installation and using your
Rugged Gear Gun & Utility Holder.

Follow all Federal, State and Local Laws and Regulations

**Never put a loaded gun in a
Rugged Gear Gun & Utility Holder!**


The Rugged Gear Suction-Cup Gun & Utility Holder provides a **temporary** mounting system to hold your firearms and tools. You can easily install it, position it in different locations, or remove it. Suction Cups will not adhere well to windows with defrosters mounted in them.

The Single-Hook Suction Cup Holder is rated to hold 60 pounds of continuous weight, and the Double-Hook Holder up to 100 pounds.

Do not mount holder to outside surface of vehicle.

THE PATENTED RUGGED GEAR ADJUSTABLE HOOK SYSTEM

- Flexible, aluminum hook easily bends to custom-fit items up to 6 $\frac{1}{2}$ ", creating a protective cradle for rifles (even scoped rifles), shotguns, bows, soft-cased guns, fishing rods, levels or other tools
- A Velcro® strap tightens securely over hook to prevent all movement and eliminate stock and blueing wear caused by typical gun racks.
- Soft Neoprene covering grips and cushions items.
- Barrel Holders (included) can be inserted into hook to firmly hold small-diameter items, such as a gun barrel or tool handle.
- Mounting base is polycarbonate, which will not fade, turn brittle or break.
- Suction Cups are industrial-strength materials for maximum holding power.
- Easy-release tab allows quick, simple removal and re-positioning.

A technical diagram of the Rugged Gear Adjustable Hook System. It shows a U-shaped aluminum hook with a Velcro strap wrapped around it. The hook is mounted on a polycarbonate base with two suction cups. A neoprene covering is shown on the inner curve of the hook. Two barrel holders are shown inserted into the hook's cradle. Arrows point from the text descriptions to these specific components.

INSTALLATION

- Clean the surface and Suction Cups every time you attach them. Use rubbing alcohol pads or white vinegar and allow it to dry completely.
- Maintain a surface temperature of a least 60°F during installation.
- Make sure no moisture, fog, or frost is present. (Do not install on a cold window! For best mounting results in cold weather, start and warm vehicle. Warm the Holders until the Suction Cups are warm and pliable.)
- Measure length of shortest item to be held. Holder should be positioned to hold item near its ends. Mark mounting positions on mounting surface at equal distances from the sides of the window. (Holder should be on the non-sliding glass window.)
- Press firmly on base inside of hook until all Suction Cups are completely depressed.



REMOVAL AND RE-INSTALLATION OF HOLDER

- Pull up on the tabs located at the side of the Suction Cups.
- Store with the Hooks down and the Suction Cups up. Make sure that the Suction Cups are flat and not depressed.
- **The Suction Cups must be removed from the surface every few weeks.** This will allow them to regain their original shape before re-mounting.
- **NOTE:** If your Holder remains attached to the surface for a long period of time (weeks), Suction Cups, may retain a “memory” of their shape. It may be necessary to allow them to relax to their original shape before re-attaching. In some cases it may be necessary to replace the Suction Cups.

NORMAL OPERATION

- Bend hooks out to allow item to fit into rack. (To secure smaller parts of your gun, bow, fishing gear or tool, insert the Barrel Holder.)
- Squeeze hook tightly against object and secure Velcro® strap.
- Check to make sure that the item is held tightly and re-tighten hook and strap if necessary.

**Call 800-784-4331 for more information on
Rugged Gear shooting equipment,
or to buy accessories.**

*Additional Suction Cups and Barrel Holders
Are available.*

GUARANTEE

**Rugged Gear products have a 60-day money-back guarantee.
If you are not completely satisfied, return for a full refund.**

**Rugged Gear
32588—477th Avenue
Elk Point, SD 57025-9702
U.S.A.
www.ruggedgear.com**

**(800)RUGGED 1
(800) 784-4331
(605) 356-2491
Fax (800) 784-3268
Email:sales@ruggedgear.com**