



**Single-Hook
ATV-Mount
Archery & Gun Holder
Mounting Instructions**



Made in U.S.A.

Read and follow all instructions before installation and use of your ATV-Mount Archery and Gun Holder

Part No. 10300

Follow all Federal, State and Local Laws and Regulations.

**Never put a loaded gun in a
Rugged Gear Archery & Gun Holder!**

The **Single-Hook ATV-Mount Archery & Gun Holder** is designed to be mounted on ATVs, motorcycles, and mountain bikes. The patented Rugged Gear adjustable hook system will hold and protect your bow, soft-cased gun, fishing rod, shovel, level, tripod or other tools.

Flexible, aluminum hooks adjust to size, creating a protective cradle for your valuable equipment, and the Velcro® straps tightly secure whatever you put into the Holder. Add the unique Barrel Holder to firmly hold and prevent any movement of small-diameter items, such as a gun barrel or tool handle. Together the adjustable hook, the Barrel Holder, and the Velcro® strap eliminate the blueing and wear caused by typical gun racks.

The flexibility of the top swivel allows the Holder to be mounted in almost any position: parallel to the driver, on the front or rear carrier, across either of the carrying racks, or on the handle bars.

ASSEMBLY AND INSTALLATION

Remove all parts from the package

- Hook Brackets (2)
- Main Base (2)
- Clamp (2)
- Bolts, 1 1/2" (4)
- Bolts, 3/4" (2)
- Small Star Washers (4)
- Large Star Washers (6)
- Barrel Holders (2)
- Allen Wrench, 5/32" (1)
- Allen Wrench, 1/8" (1)
- Nylon Washers (2)
- Fender Washers (2)




Figure 1

- Determine mounting location — the Rugged Gear ATV Holder will mount to nearly any round or square bar, at any desired position or angle.
- Measure length of shortest item to be held and length of bow, action, or scope frame on item. Position mounts to allow for holding the shortest item as near its ends as possible, and outside of any bow, action, or scope frame.
- Insert 3/4" bolt through fender washer, large star washer, hook bracket, large star washer and thread into main base. (See Figure 1).
- Install nylon washer onto thread of center hook followed by a large star washer. Thread into hook bracket insert. (See Figure 1).
- Position Main Base and Clamp around bar on your ATV Holder.
- Insert short bolts through Clamp into Main Base. Tighten loosely with allen wrench.
- A Set Screw is pre-installed in the Main Base. If the rack slips on the bar after the Clamp has been tightened, tighten the Set Screw from the top of the Main Base with a 1/8" allen wrench until the rack holds tightly.
- If the rack continues to slip, remove gun rack and drill a 7/32" hole into the bar on your ATV rack at the point marked by the set screw (located in Main Base) on the bar. Reinstall Main Base and Clamp on bar and tighten the Set Screw into drilled hole.
- Place item to be held in rack.
- Adjust angle & position of brackets.
- Tighten all bolts securely.

NORMAL OPERATION

- Pull back the Velcro® strap of each hook.
- If needed, insert Barrel Holder for securing the smaller parts bows, guns, fishing poles or tools.
- The aluminum hooks on the Holder can be bent and shaped to tightly fit whatever item is being put into them. For maximum holding protection, “over-bend” each hook so that it is smaller than the item to be held, and force the item into the hooks.
- Squeeze hooks tightly against object and secure Velcro® strap around hook and item.
- Verify that items are held tightly and re-tighten if necessary.

GUARANTEE

Rugged Gear ATV Holders have a 60-day money-back guarantee. If you are not completely satisfied, return them for a full refund.

Disclaimer: Buyer assumes all risk and liability for the installation and use of any Rugged Gear product. Buyer is responsible for regular inspection of the product and for providing necessary maintenance and/or repairs. Rugged Gear does not warrant this product if it has been altered, misused or abused in any way. Rugged Gear reserves the right to redesign or discontinue products at anytime without prior notice.

Additional Barrel Holders can be purchased; call (800) 784-4331



(800) 784-4331 or (605) 356-2491 • Fax (800) 784-3268

Elk Point, SD 57025-9702 U.S.A.

www.ruggedgear.com • e-mail: sales@ruggedgear.com